



Euro-Top Hygienic


Cable gland designed specifically for the
hygiene sector

www.rst.eu



distributed by www.laumans.com

Euro-Top Hygienic / Euro-Top Hygienic EMC

Material	Stainless Steel
Sealing insert	Thermoplastic Elastomer
Temperatures	-20°C to +100°C



Article		Size AG	Clamping Range	
Standard	EMC		≥	≤
HYG900512	-	M 12 x 1.5	3.0	6.5
HYG900516S	HYG910516	M 16 x 1.5	5.0	10,0
HYG900520S	HYG910520	M 20 x 1.5	6.0	12.0
HYG900525S	HYG910525	M 25 x 1.5	12.0	17.0




Cleanliness in the food and beverage industry, the chemical industry and the pharmaceutical industry is subject to strict requirements. These are met with our Euro-Top Hygienic. Thanks to its compact construction and extremely smooth surface, the cable gland is easy and cost-effective to clean. Its high tightness also prevents the ingress of dirt and foreign particles. For a clean solution.



- Applications:**
- Food industry
 - Beverage industry
 - Pharmaceutical industry
 - Clean room technology
 - Biotechnology
 - Chemical industry


Thread metric according to EN 60423

Protection rating IP68/IP69

Note Delivery including lock nuts.



	 EMC	L	L EMC	H	H EMC
14/15	-	6.0	-	21.3	-
18/19	18/18	7.0	7.0	23.1	28.5
22/24	22/24	10.0	10.0	26.7	33.0
28/30	28/30	14.0	14.0	29.1	38.0



Advantages:

- Compact construction
- Even surface
- No accumulation of harmful microorganisms
- Simple, quick and cost-effective cleaning using a high-pressure cleaner
- Resistant to chemical cleaning agents
- No corners for dirt to collect
- High tightness
- No ingress of foreign particles into the enclosure
- High strain relief thanks to internal strain relief element
- EHEDG certified